

Wiley Slough Estuarine Restoration Design Report



Final

Version 3.1

Submitted to the

Washington Department of Fish & Wildlife

By

The Wiley Slough Design Team

June 2005

Acknowledgements

Authors

Steve R Hinton, SRSC

Jeff Blank, HDR

Aaron McKain, GeoEngineers, Inc.

Greg Hood, SRSC

Brian Williams, WDFW

Contributors

Kevin Coulton, HDR

Bob Boutinou, LBS, Inc

Bob Wariner, WDFW

Ben Perkowski, SWC

Larry Wasserman, SRSC

Shirley Solomon, SWC

Lora Leschner, WDFW

John Garrett, WDFW

Randy Carmen, WDFW

Bob Bernard, WDFW

Curtis Tanner, USFWS

Ed Conner, SCL

Funding provided by:

Seattle City Light

Salmon Recovery Funding Board

Table of Contents

Chapter I - Overview

| | |
|-------------------------------------|----------|
| Introduction..... | 1 |
| <i>Genesis of this project.....</i> | <i>1</i> |
| Project Background..... | 3 |
| <i>Overview.....</i> | <i>3</i> |
| <i>Site History.....</i> | <i>4</i> |
| <i>Project History.....</i> | <i>7</i> |
| <i>Project Stakeholders.....</i> | <i>8</i> |

| | |
|-----------------------------------|---|
| Goals & Objectives..... | 8 |
| <i>Primary Goal</i> | 8 |
| <i>Primary Objectives</i> | 9 |
| <i>Secondary Objectives</i> | 9 |

Chapter II - Baseline Condition

| | |
|---------------------------------------|----|
| Site characterization..... | 10 |
| <i>Ownership & Land Use</i> | 10 |
| <i>Topography</i> | 15 |
| <i>Hydrology</i> | 18 |
| Hydraulic Setting..... | 18 |
| Tidal Characteristics..... | 18 |
| Groundwater Conditions..... | 23 |
| <i>Soils</i> | 25 |
| Subsurface Conditions..... | 25 |
| Geology..... | 27 |
| <i>Vegetation</i> | 27 |
| Native Species..... | 27 |
| Invasive Species..... | 28 |
| <i>Fisheries</i> | 29 |
| <i>Wildlife Habitat</i> | 36 |
| <i>Infrastructure</i> | 37 |
| <i>Drainage</i> | 38 |
| Drainage Network..... | 39 |
| Historic Wiley Slough..... | 40 |
| Pump Station..... | 41 |
| Tide Gates..... | 41 |

Chapter III - Design Considerations & Criteria

| | |
|---------------------------------------|----|
| Levee Setback & Deconstruction..... | 44 |
| <i>Design Development</i> | 44 |
| Element Goal | 44 |
| Constraints..... | 45 |
| Criteria..... | 45 |
| Proposed Actions..... | 45 |
| Uncertainties..... | 45 |
| Summary Statistics..... | 46 |
| <i>Element Evaluation</i> | 47 |
| Geotechnical Field Explorations..... | 47 |
| Surface Hydrology..... | 47 |
| Topographic and Bathymetric Data..... | 48 |
| Model Selection..... | 48 |
| Model Boundary Conditions..... | 49 |
| Existing Conditions Models..... | 51 |
| Model Verification..... | 51 |
| Tidegate Relocation..... | 55 |
| <i>Design Development</i> | 55 |
| Element Goal..... | 55 |
| Constraints..... | 55 |
| Criteria..... | 55 |
| Evaluated Actions..... | 55 |
| Uncertainties..... | 56 |
| <i>Element Evaluation</i> | 56 |
| Conveyance..... | 57 |
| Agricultural Drainage..... | 57 |

| | |
|--|---------------|
| <i>Development</i> | 57 |
| Element Goal..... | 57 |
| Constraints..... | 57 |
| Criteria..... | 57 |
| Actions Evaluated | 57 |
| Summary Statistics..... | 58 |
| Uncertainties..... | 58 |
| <i>Evaluation</i> | 58 |
| Hydraulic Performance for Agricultural Drainage..... | 58 |
| Conveyance at Flood flows..... | 58 |
| Sediment potential at the new tidegate..... | 63 |
| Sediment Potential with Additional Tidal Prism..... | 67 |
| Channel Reconnections & Borrow Pit Management..... | 69 |
| <i>Design Development</i> | 69 |
| Element Goals..... | 69 |
| Constraints..... | 69 |
| Criteria..... | 69 |
| Actions Evaluated..... | 69 |
| Summary Statistics..... | 70 |
| Uncertainties..... | 70 |
| <i>Element Evaluation</i> | 70 |
| Distributary Slough Connection..... | 70 |
| Borrow Ditches..... | 72 |
| Localized Channel Excavations..... | 74 |
| Headquarters Infrastructure-Boat Ramp..... | 74 |
| <i>Design Development</i> | 74 |
| Element Goals..... | 74 |
| Constraints..... | 74 |
| Criteria..... | 74 |
| Actions Evaluated..... | 74 |
| Uncertainties..... | 75 |
| <i>Element Evaluation</i> | 75 |
| Boat Ramp Area..... | 75 |

| | |
|--|----|
| Headquarters Infrastructure-Public Access..... | 79 |
| <i>Design Development</i> | 79 |
| Element Goals..... | 79 |
| Constraints | 79 |
| Criteria..... | 80 |
| Actions Evaluated | 80 |
| Uncertainties..... | 81 |
| <i>Evaluation</i> | 81 |
| Headquarters Infrastructure-Parking Facilities..... | 82 |
| <i>Design Developments</i> | 82 |
| Element Goals..... | 82 |
| Constraints | 82 |
| Criteria..... | 82 |
| Actions Evaluated | 83 |
| Uncertainties..... | 83 |
| Headquarter Infrastructure-Roadway improvements..... | 83 |
| <i>Design Developments</i> | 83 |
| Element Goals..... | 83 |
| Constraints | 83 |
| Criteria..... | 83 |
| Actions Evaluated | 84 |
| Uncertainties..... | 84 |

Chapter IV – Recommended Actions

| | |
|-------------------------------------|----|
| Levee Setback & Deconstruction..... | 85 |
|-------------------------------------|----|

| | |
|---|-----|
| <i>General Considerations</i> | 86 |
| <i>New Levee Construction</i> | 87 |
| Top Crest Width..... | 88 |
| Design Elevation..... | 89 |
| Slope Stability..... | 89 |
| Settlement..... | 90 |
| Seepage..... | 90 |
| Seismic Design..... | 91 |
| Foundation Preparation..... | 91 |
| Cutoff Trench Excavation..... | 92 |
| Levee and Cutoff Trench Material | 93 |
| Placement and Compaction..... | 93 |
| Erosion Protection..... | 94 |
| <i>Levee Removal</i> | 94 |
| <i>Levee Retention and Augmentation</i> | 95 |
| <i>Vegetation management</i> | 98 |
| Native Plant Restoration..... | 98 |
| Invasive Species Management..... | 100 |
| Tide Gates Relocation..... | 102 |
| <i>General</i> | 102 |
| <i>Type & Location</i> | 103 |
| Tide Gates and Pipes..... | 103 |
| <i>Construction</i> | 103 |
| Dewatering..... | 103 |
| Excavation and Slopes..... | 104 |
| Temporary Cut Slopes..... | 104 |
| Permanent Cut Slopes..... | 104 |
| Seepage..... | 104 |
| Sub-grade Stabilization..... | 105 |
| Buoyancy Forces..... | 106 |
| Compaction..... | 106 |
| Bedding..... | 106 |
| Settlement..... | 106 |
| Erosion Protection..... | 107 |

| | |
|--|-----|
| Agricultural Drainage..... | 107 |
| <i>Drainage Infrastructure: In System Capacity</i> | 107 |
| <i>Drainage Infrastructure: Conveyance</i> | 109 |
| <i>Drainage Infrastructure: Pump Station</i> | 110 |
| .. | |
| Channel Reconnections & Borrow Pit Management..... | 110 |
| <i>Distributary Development</i> | 110 |
| <i>Borrow Ditches</i> | 111 |
| <i>Local Channel Excavations</i> | 112 |
| Headquarters Infrastructure-Boat Ramp..... | 114 |
| <i>Boat Ramp</i> | 114 |
| <i>Boat Moorage Facility</i> | 114 |
| Headquarters Infrastructure-Public Access..... | 115 |
| <i>Waterfowl Hunting</i> | 115 |
| <i>Pheasant Hunting</i> | 116 |
| <i>Watchable Wildlife</i> | 116 |
| <i>Trails</i> | 116 |
| Headquarters Infrastructure-Parking Areas..... | 118 |
| <i>East Parking Lot</i> | 118 |
| <i>West Parking Lot</i> | 119 |

Chapter V - Implementation

| | |
|--|-----|
| Sequencing..... | 120 |
| <i>Public Comment</i> | 120 |
| <i>Agency Concurrence & Permitting</i> | 120 |
| <i>Funding</i> | 121 |
| <i>Contracting</i> | 123 |
| | |
| Estimated Costs..... | 123 |
| <i>Cost Estimate</i> | 123 |
| <i>Cost Assumptions</i> | 125 |
| <i>Opportunities To Reduce Costs</i> | 125 |
| <i>Uncertainties</i> | 126 |
| | |
| Monitoring..... | 127 |
| | |
| Maintenance..... | 130 |
| | |
| Proposed Schedule..... | 131 |

Appendix A Boring Logs

Appendix B Geotechnical Report

Appendix C Public Outreach

Appendix D LBS Report

FIGURES

Chapter 1

| | |
|---|---|
| Figure 1.0. Wiley Slough Project Location..... | 2 |
| Figure 1.1. Detail of 1889 US Coast and Geodetic Survey map..... | 5 |
| Figure 1.2. Wiley Slough Circa 1937..... | 6 |
| Figure 1.3. Change in tidal channel platform from 1956 (prior to dike construction) to 2000..... | 7 |

Chapter 2

| | |
|--|----|
| Figure. 2.1. Wylie Slough: Overall Vehicle Usage..... | 12 |
| Figure. 2.2. Wylie Slough: Usage by vehicle type..... | 12 |
| Figure. 2.3. Wylie Slough Seasonal Usage (Fall 2003-Fall 2004)..... | 13 |
| Figure. 2.4. Wylie Slough: Vehicle Usage Fall 2003..... | 13 |
| Figure. 2.5. Wylie Slough: Vehicle Usage Winter 2004..... | 14 |
| Figure. 2.6. Wylie Slough: Vehicle Usage Spring 2004..... | 14 |
| Figure. 2.7. Wylie Slough: Vehicle Usage Summer 2004..... | 15 |
| Figure 2.8. LIDAR imagery of the Wiley Slough project site..... | 17 |
| Figure 2.9. Locations of tide gauges use for representative tidal cycles..... | 19 |
| Figure 2.10. Representative Diurnal Tide Cycle @ Wiley Slough Tidegate..... | 20 |
| Figure 2.11. Predicted Spring-Neap Tide Cycle for Wiley Slough..... | 21 |
| Figure 2.12. Synthetic 10-yr Flood Tide Cycle for Wiley Slough..... | 22 |
| Figure 2.13. Groundwater Well Locations..... | 24 |
| Figure 2.14. Representative Seasonal Groundwater Signal (Autumn)..... | 24 |
| Figure 2.16. NRCS Surficial Soil Classifications of Site..... | 26 |
| Figure 2.17. Boring and test pit locations..... | 27 |
| Figure 2.18. Wiley Slough vicinity sampling sites..... | 31 |
| Figure 2.19. Salmonids found above and below the Wiley Slough tidegate, as average fish density, 1995 and 2004..... | 31 |
| Figure 2.20. Chinook catch in Freshwater Slough main channel adjacent to Wiley Slough..... | 32 |
| Figure 2.22. Chinook catch in Freshwater Slough near the historic bifurcation of Wiley Slough..... | 33 |
| Figure 2.23. Chinook catch in Teal Slough marsh..... | 33 |
| Figure 2.24. Chinook catch in Wiley Slough below the tidegate..... | 34 |
| Figure 2.25. Chinook catch in Wiley Slough above the tidegate..... | 35 |
| Figure 2.26. Average species richness by month..... | 36 |
| Figure 2.27. Headquarters Infrastructure (Western Portion)..... | 38 |
| Figure 2.28. Wiley Slough Drainage Network..... | 40 |

| | |
|---|----|
| Figure 2.29. Longitudinal Profile of Historic Wiley Slough Channel inside the Levee..... | 41 |
| Figure 2.30. Flow sampling stations..... | 43 |

Chapter 3

| | |
|--|----|
| Figure 3.1. Locations of cross-sectional data used to refine model..... | 50 |
| Figure 3.2. Measured water levels at Freshwater Slough side of the spur dike. 1 year flow regime..... | 51 |
| Figure 3.3. Modeled effect of spur dike during a 10 year flood event..... | 52 |
| Figure 3.4. Channel evolution schematic..... | 53 |
| Figure 3.5. Channel equilibrium as predicted by reference marsh regression... | 54 |
| Figure 3.6. Longitudinal data collected by SFEG of Field conditions in Wiley Slough..... | 56 |
| Figure 3.7. Spur dike removal options..... | 60 |
| Figure 3.8. Measured Effect of the Spur Dike during a one year event..... | 62 |
| Figure 3.9. Modeled Affect of Spur Dike during a 10-yr Flood Event..... | 63 |
| Figure 3.10. Hjulstrom Diagram..... | 65 |
| Figure 3.11. Estimated Velocity in Backwater area of Wiley Slough during Long-Term Geomorphic Conditions..... | 66 |
| Figure 3.12. Estimated Velocity in Backwater area of Wiley Slough during Short-Term Geomorphic Conditions..... | 66 |
| Figure 3.13. Estimated Channel Velocities in Backwater Area of Wiley Slough with and without the proposed Scalloped Waterfowl Pond..... | 68 |
| Figure 3.14. Typical Velocity Distribution in Freshwater Slough during an Average ebb Tide..... | 71 |
| Figure 3.15. Teal Slough Excavations Evaluated..... | 72 |
| Figure 3.16. Borrow Ditch Management Actions..... | 73 |
| Figure 3.18. Tidal Prism and Area/Depth Relationship..... | 77 |
| Figure 3.19. Evaluated Boat Ramp Configurations..... | 79 |
| Figure 3.20. Potential Northern Boundary Trail Route..... | 81 |

Chapter 4

| | |
|---|----|
| Figure 4.1. Summary of proposed actions..... | 86 |
| Figure 4.2. Proposed Levee Footprint..... | 87 |
| Figure 4.3. Proposed Levee Cross Sectional Detail..... | 88 |
| Figure 4.4. Levee Removal..... | 95 |
| Figure 4.5. Levee Retention..... | 96 |
| Figure 4.6. Typical Cross Section of Augmented Levee..... | 96 |

| | |
|--|-----|
| Figure 4.7. Elevation ranges of dominant plant species in the South Fork reference tidal marshes..... | 97 |
| Figure 4.8. Predicted vegetation for the Wiley Slough area, after levee removal..... | 99 |
| Figure 4.9. Locations of tide gates slated for removal (red) and installation (white)..... | 101 |
| Figure 4.10. Location and configuration of storage pond..... | 110 |
| Figure 4.11. Teal Slough Excavations..... | 111 |
| Figure 4.12. Location of ditches to be excavated, filled, and retained..... | 111 |
| Figure 4.13. Proposed local excavations shown in Green..... | 112 |
| Figure X.X. Possible trail configuration. Retained dikes are shown for reference..... | 116 |
| Figure 4.14. Generalized Footprint for the West parking area..... | 117 |

TABLES

Chapter 1

| | |
|-------------------------------------|---|
| Table 1.0 Project Stakeholders..... | 8 |
|-------------------------------------|---|

Chapter 2

| | |
|---|----|
| Table 2.1 Fir Island Tide Elevations..... | 15 |
| Table 2.2 Summary of Tidal Datums at Wiley Slough..... | 20 |
| Table 2.3 Summary of Freshwater Slough Streamflow Estimates.... | 23 |
| Table 2.4 Summary of Freshwater Slough Stream flow Estimates... | 39 |
| Table 2.5 Wiley Slough Flow Data Locations..... | 43 |

Chapter 3

| | |
|--|----|
| Table 3.1 Water Level Difference at High Tide for various Spur Dike Configurations..... | 61 |
| Table 3.2 Average Channel Velocity for Backwater Area of Wiley Slough..... | 64 |